

シャフト径Φ14mm F35(soft) 20mm

ストローク量	FR40S(15mm)	F35S(20mm)	F35S(25mm)
1mm	10	6	3
2mm	24	13	9
3mm	39.5	19	14.5
4mm	55	26	20.5
5mm	73	32.5	26.5
6mm	97.5	40.5	33
7mm	138	50.5	40
8mm	192	62	46.5
9mm		77	53.5
10mm		97	60.5
11mm			68.5
12mm			78
13mm			93.5

kgf

初期接触面34mm



FR40S(高さ15mm)

初期接触面32mm




F35S(高さ20mm)

初期接触面32mm



F35S(高さ25mm)



F35S(ソフト)高さ20mm+Main

ストローク量	FR40 S	FBR40M	FBR45S	FBR45M
1mm	1.5	2	2	2
2mm	3	3.5	3.5	4
3mm	5	6	5.5	5.5
4mm	7	8	6.5	7.5
5mm	9	10.5	8.5	9.5
6mm	10.5	12.5	10	11.5
7mm	12.5	15	12	13.5
8mm	14.5	17	13.5	16
9mm	16.5	19	15.5	18
10mm	18.5	21	17	20
11mm	20	23.5	19	21.5
12mm	22	25.5	20.5	23.5
13mm	23.5	27.5	22	26
14mm	25	29.5	24	28
15mm	27	31	25.5	29.5
16mm	28.5	33	27	31.5
17mm	30	34.5	28.5	33.5
18mm	31.5	36	30	35
19mm	33.5	38	31	37
20mm	36.5	40.5	33	38
21mm	39.5	43.5	34.5	40
22mm	42	47	35.5	42
23mm	46	51	37.5	44
24mm	50	54.5	40	46.5
25mm	54	58.5	43.5	49.5
26mm	59	63.5	46	53
27mm	64	69	49.5	57
28mm	70	75	53	61
29mm	76	82	56.5	65
30mm	83.5	89	59.5	69
31mm	91.5	96.5	63.5	73
32mm	100	105	68.5	78.5
33mm			72	83
34mm			76.5	89.5
35mm			81.5	96



FBR40ソフト



FBR40ミディアム

63mm



FBR45ソフト



FBR45ミディアム

69mm

kgf

